

A circular black and white stamp. The outer ring contains the text "OIP" at the top and "PATENT & TRADEMARK OFFICE" at the bottom. In the center, the date "NOV 23 2004" is stamped.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

)

)

.

)

•

)

)

.

.

,

)

•

)

November 22, 2004


**CERTIFICATE OF CORRECTION
UNDER RULE 322**

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form, in duplicate, is enclosed.

DEC 03 2004

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Jason M. Okun
Attorney for Patentees
Registration No. 48,512

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

NY_Main 464609v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,797,980 B2

DATED : September 28, 2004

INVENTOR(S) : TAKAO TAKIGUCHI ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE [56] REFERENCES CITED:

Other Publications, after "Newkome et al.": "Cyclometatlated" should read
--Cyclometalated--.

COLUMN 5:

Line 48, "—C□C—" should read -- —C≡C— --.

COLUMN 6:

Line 59, "ρ-π* state." should read --π-π* state.--; and
Line 65, "1-40 psec." should read --1-40 μsec.--.

COLUMN 9:

Line 33, "(hexamethylphosphoramide)" should read
--(hexamethyl-phosphoramide)--.

COLUMN 10:

Line 18, "15" should be deleted;
Line 22, "20" should be deleted;
Line 26, "25" should be deleted;
Line 27, "(u-dichloro)" should read --(μ-dichloro)--; and
Line 56, "(p-dichloro)" should read --(μ-dichloro)--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,797,980 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,797,980 B2

DATED : September 28, 2004

INVENTOR(S) : TAKAO TAKIGUCHI ET AL.


Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 12:

Line 14, "(psec)" should read --(μ sec)--;

Line 19, "10 psec." should read --10 μ sec--; and



COLUMN 17:

Line 30, "3 mm On" should read --3 mm². ¶ On--.

COLUMN 18:

Line 32, "ordination" should read --metal coordination--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,797,980 B2

No. of add'l. copies
@ 30¢ per page

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,797,980 B2

DATED : September 28, 2004

INVENTOR(S) : TAKAO TAKIGUCHI ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE [56] REFERENCES CITED:

Other Publications, after "Newkome et al.": "Cyclometatlated" should read --Cyclometalated--.

COLUMN 5:

Line 48, " $\text{---C}\square\text{C---}$ " should read -- $\text{---C}\equiv\text{C---}$ --.

COLUMN 6:

Line 59, " $\rho\text{-}\pi^*$ state." should read -- $\pi\text{-}\pi^*$ state.--; and

Line 65, "1-40 psec." should read --1-40 $\mu\text{sec.}$ --.

COLUMN 9:

Line 33, "(hexamethylphosphoramide)" should read

--(hexamethyl-phosphoramide)--.

COLUMN 10:

Line 18, "15" should be deleted;

Line 22, "20" should be deleted;

Line 26, "25" should be deleted;

Line 27, "(u-dichloro)" should read --(μ -dichloro)--; and

Line 56, "(p-dichloro)" should read --(μ -dichloro)--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,797,980 B2

No. of add'l. copies
@ 30¢ per page



DEC 03 2004

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,797,980 B2

DATED : September 28, 2004

INVENTOR(S) : TAKAO TAKIGUCHI ET AL.


Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 12:

Line 14, "(psec)" should read --(μ sec)--;

Line 19, "10 psec." should read --10 μ sec--; and



COLUMN 17:

Line 30, "3 mm On" should read --3 mm². ¶ On--.

COLUMN 18:

Line 32, "ordination" should read --metal coordination--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,797,980 B2

No. of add'l. copies
@ 30¢ per page

DEC 03 2004